



Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.










0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved


MISSOURI BOTANICAL GARDEN




















MISSOURI BOTANICAL GARDEN













MISSOURI BOTANICAL GARDEN























with exactly the same i









copyright reserved


GARDEN

cm


















































































































MISSOURI


BOTANICAL

GARDEN

De structure of the female head is analogues to the male spike but would be samely undustood without That The spikelet, the male splike are deflexed, the Smell lower glume. ture dononing and j'aside of The 2 mos of Mitelety, In the lambe head of contrato The Affickets - always me flowers _ portion The same reletion The long or exterior galance es jeste inside of The rowled herd the only The 19 Tanion glein i much layer cartiliza and oftenon ontaile to position it who









The femile head is exist like the mile spike, with This in its assume that with their modification that the flat spikelet, are one flowed the fewer in neuroling crowded it a head where, hovern sol of a shorten shuching is still visible, alte flow one tured upened The lover mentrace glem bounting berong oblibentes. One flikelet - Shirt seen, At the blowert one new has it or sattle [?]





MISSOURI BOTANICAL GARDEN




Les Epikelet become, zur caitilizins 1-3 wille more on lees Brief tott upp gleene and is pushe to Jone ed to men outside on sedeurgs. In! Or! Their plowers mag be an invogelete 1 spikelet ilself, rounds og a single gleme Opporte this organ, in the kear, is anoth 2 - 3 pointed castileyshing gleenen which I take to be thends Muppen mort stend
























Lesleni dretylentes Met gen I. p. 65 (1818 - 2 Forrey - Every, Rep. 1. 153 plato X (1848) Tomis Whoffle Pariflet to En! Column p.157 (1857) Calanthern dadyloides Knoth, Mutt. in Hooker, and of Gegers plants but Knoth does not have that name therefor probably a Mrs have of Multale, Triobiae sper Beath : Al. Harleveg p. 28 no Lasis stegia humilis Rupprecht (ined?) i6ist. Comigende py 347 The Semale is Antephora axillytha Stendel Anthephen School - Hunt I 16g a gran of James Mexico & Bay

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

